

...non dimenticare!
... don't forget!



www.roverpompe.com



Leader in Pump Technology
100% Designed and Manufactured in Italy by ROVER POMPE snc

ROVER POMPE s.n.c.

Pompe ed elettropompe per:

• Agricoltura • Enologia • Giardinaggio • Nautica • Industria

Via dell'Artigianato, 4 z.a. - 35020 POLVERARA (Padova) - Italy - Fax 0039 0495855370

E-mail: info@roverpompe.com - www.roverpompe.com





BE-M

230 V - 50 Hz a.c.



BRONZO - BRONZE - BRONCE

"Traditional and powerful, the classic never ends"



© COPYRIGHT ROVER POMPE S.p.A.



BE-M 10



BE-M 14



BE-M 20



BE-M 25



BE-M 30



BE-M 40



BE-M 50

PAT.PEND.

PAT.PEND.

PAT.PEND.

PAT.PEND.

PAT.PEND.

COMUTATORE
ROCKER SWITCH
INTEERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER

SHUCKO 16A




Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
0100 CE	BE-M 10	420	10	0.4	320	10	2850	210x120h190	4	8032706071512
520000	BE-M 14	900	14	0.6	420	10	1450	230x120h190	5	8032706070317
300000	BE-M 20	1700	20	0.5	340	25	2850	230x120h190	5	8032706070331
260000	BE-M 25	2400	25	0.6	420	12	1450	250x120h190	6	8032706070355
030000	BE-M 30	5000	30	1.0	650	15	1450	310x150h210	10	8032706070362
110000	BE-M 40	6500	40	1.2	800	15	1450	320x150h210	11	8032706070386
270000	BE-M 50	15000	50	3.0	2100	25	1450	400x170h240	22	8032706070393




ROVER
230 V - 50 Hz a.c.

© COPYRIGHT ROVER POMPE snc




PAT.PEND.



PAT.PEND.



PAT.PEND.



PAT.PEND.

BRONZO - BRONZE - BRONCE


"Innovation, a look ahead"



ØD



COMUTATORE
ROCKER SWITCH
ININTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
300000 CE	ROVER 20 CE	1700	20	0.5	25	2850	230x120h190	5	8032706073271
540000 CE	ROVER 25 CE	2500	25	0.8	25	2850	230x120h190	6	8032706071390
965000	ROVER 30 CE	4500	30	1.0	20	2800	255x160h190	8	8032706071444
961000	ROVER 35 CE	4500	35	1.0	20	2800	255x160h190	8	8032706071468
110000 CE	ROVER 40 CE	5100	40	1.0	15	1450	320x150h210	11	8032706072502



BE-M + By-Pass

230 V 50 Hz a.c.

BRONZO - BRONZE - BRONCE ØD


"Easy to regulate"



ROVER 20 By-Pass



ROVER 25 By-Pass



BE-M 40 By-Pass



Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
300000 BP	ROVER 20 By-Pass	800-1700	20	0.5	340	12 - 24	2850	230x120x190	5	8032706071178
540000 BP	ROVER 25 By-Pass	1200-2400	25	0.8	550	12 - 24	2850	230x120x190	6	8032706072823
110000 BP	BE-M 40 By-Pass	3000-6500	40	1.2	800	7 - 15	1450	320x150x210	11	8032706071192



BE-M IP55

230 V 50 Hz a.c.

"Stay protected"



PAT.PEND.



BE-M 20 IP 55



BE-M 25 IP 55

PAT.PEND.




COMMUTATORE
ROCKER SWITCH
INTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



SHUCKO 16A



Staffa Antiribaltamento Stabilizer Base




CODE 978035



8 10 3 2 7 0 6 1 0 7 2 9 6 0

BE-M 10,14,20,25,30,35,40
NOVAX 10,14,20,25,30,35
ROVER CE 20,25,30,35,40
BE-T 25,30,35,40
By-Pass., IP55., Marina., Novax Olii.



BE-T 25

PAT.PEND.




BE-T 30

PAT.PEND.



BE-T 40

PAT.PEND.



Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
140000 CE	BE-T 25	2500	25	0.8	420	25	2850	230x120x190	6	8032706072748
170000	BE-T 30	5000	30	1.0	650	15	1450	310x150x210	7	8032706070416
180000	BE-T 40	6500	40	1.2	800	15	1450	320x150x210	12	8032706070430
220000	BE-T 50	15000	50	3.0	2100	25	1450	400x170x240	22	8032706070447




BE-G

BRONZO - BRONZE - BRONCE

"Viscosity? Not a problem"



Standard: INOX gears
Optional: PTFE gears



© COPYRIGHT ROVER POMPE snc




BE-G 20



MARINA G 20

Accessorio - Aftermarket
CAVO CON PINZE E FUSIBILI
AND FUSES

code 870035



By-Pass Automatic BE-G
BE-G Automatic By-Pass

code 985035



Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
981000	BE-G 20 HP 0.6	900	20	0.6	24	1450	230x120h190	6	8032706073554
979000	BE-G 20 HP 0.8	1750	20	0.8	24	2850	230x120h190	7	8032706073561
978000	MARINA 12V - G 20	1450	20	0.6	20	2750	250x120h150	7	8032706073578
977000	MARINA 24V - G 20	1450	20	0.6	20	2750	250x120h150	7	8032706073585



NOVAX-M NOVAX By-Pass

"A friendly technology"



COMMUTATORE
ROCKER SWITCH
ININTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



SHUCKO 16A



NOVAX 40 M
PAT.PEND.



NOVAX 30 M
PAT.PEND.




NOVAX 25 M
PAT.PEND.



NOVAX 20 M
PAT.PEND.



NOVAX 50 M



Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
790000	NOVAX 20 M	1700	20	0.5	340	25	2850	230x120x190	5	8032706070249
780000	NOVAX 25 M	2400	25	0.6	420	12	1450	250x120x190	6	8032706070256
770000	NOVAX 30 M	5000	30	1.0	650	15	1450	310x150x210	10	8032706070263
750000	NOVAX 40 M	6500	40	1.2	800	15	1450	320x150x210	11	8032706070294
740000	NOVAX 50 M	15000	50	3	2100	25	1450	400x170x240	22	8032706070300
790000 BP	NOVAX 20 By-Pass	800-1700	20	0.5	340	25	2850	230x120x190	5	8032706072694
730000 BP	NOVAX 25 By-Pass	1500-2500	25	0.8	460	20	2850	230x120x190	6	8032706072618






NOVAX-T
400 V - 50 Hz a.c.
INOSSIDABILE - INOXIDABLE



"Always ready to satisfy"




© COPYRIGHT ROVER POMPE snc




NOVAX T 25

PAT.PEND.



NOVAX T 40

PAT.PEND.




NOVAX T 30

PAT.PEND.



NOVAX T 50



Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
280000 CE	NOVAX 25 T	2400	25	0.8	540	25	2850	230x120h190	6	8032706073028
320000	NOVAX 30 T	5000	30	1.0	720	15	1450	300x150h210	10	8032706070508
970000	NOVAX 40 T	6500	40	1.2	800	15	1450	320x150h210	11	8032706070522
980000	NOVAX 50 T	15000	50	3.0	2100	25	1450	400x170h240	22	8032706070539



NOVAX-G

INOSSIDABILE - INOXDABLE

"Olive oil, liquid soap, you're welcome"



Standard: INOX gears
Optional: PTFE gears



© COPYRIGHT ROVER POMPE snc



NOVAX-G 20



MARINA NOVAX G 20




Accessorio - Aftermarket
CAVO CON PINZE E FUSIBILI
CABLE WITH PLIERS
AND FUSES

code 870035



By-Pass Automatic BE-G
BE-G Automatic By-Pass

code 985035



Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
972000	NOVAX G 20 HP 0.6	900	20	0.6	24	1450	230x120x190	6	8032706072373
971000	NOVAX G 20 HP 0.8	1750	20	0.8	24	2850	230x120x190	7	8032706072380
969000	NOVAX MARINA G 20 12V	1450	20	0.6	20	2750	250x120x150	7	8032706072397
968000	NOVAX MARINA G 20 24V	1450	20	0.6	20	2750	250x120x150	7	8032706072403



NOVAX Oil

230 V - 50 Hz a.c.

INOSSIDABILE - INOXDABLE



"Sweet transferring"



COMUTATORE
ROCKER SWITCH
INERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



PAT.PEND.

PAT.PEND.

NOVAX 10 Oil

NOVAX 14 Oil

NOVAX 25 Oil




PAT.PEND.

PAT.PEND.

NOVAX 30 Oil

NOVAX 50 M



Code	Model	L/h (olive oil - water)	ØD mm	HP	Hmax(m)	r.p.m.	A X B x H	Kg.	EAN code
42000	NOVAX 10 Oil	300 - 420	10	0.4	10	2850	210x120h190	4	8032706071529
800000	NOVAX 14 Oil	600 - 900	14	0.6	10	1450	230x120h190	5	8032706070232
998000	NOVAX 25 Oil	1800 - 2500	25	0.9	12	1450	250x120h190	8	8032706071291
640000	NOVAX 30 Oil	3000 - 5000	30	1.2	15	1450	310x150h210	11	8032706070270
740000	NOVAX 50 M	11000 - 15000	50	3.0	20	1450	400x170h240	22	8032706070300




NOVAX 20 B

"The BEST choice of Home Brewers"

max 95°C



suitable for:
hot wort
hot juice
other hot drinks



**ATTENZIONE !
SUPERFICI CALDE**

**WARNING !
HOT PARTS**

Code	Model	L / h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
964000	NOVAX 20 B	1700	20	0.5	340	25	2850	230x120x190	5	8032706072526

The VITON name is a registered trademark of DuPont Performance Elastomers L.L.C.



MARINA
BRONZE - BRONZE - BRONZE

"Battery, i need a battery"

MARINA NOVAX
INOSSIDABILE - INOXIDABLE

PAT.PEND.

PAT.PEND.



MARINA 20

MARINA NOVAX 20

PAT.PEND.



PAT.PEND.



MARINA NOVAX 25

MARINA NOVAX 25

PAT.PEND.



MARINA 25


PAT.PEND.



MARINA 30



Accessorio - Aftermarket
CAVO CON PINZE E FUSIBILI
AND FUSES
code 870035



Code	Model	L/h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
250000	MARINA 20-12V	2000	20	0.5	24	2850	230x120x190	6	8032706070454
230000	MARINA 20-24V	2000	20	0.5	24	2850	230x120x190	6	8032706070461
100000	MARINA 25-12V	3000	25	0.6	24	2850	230x120x190	7	8032706070478
130000	MARINA 25-24V	3000	25	0.6	24	2850	230x120x190	7	8032706070485
957000	MARINA 30-12V	5000	30	1	24	2850	270x120x190	8	8032706072953
956000	MARINA 30-24V	5000	30	1	24	2850	270x120x190	8	8032706072946
810000	MARINA NOVAX 20-12V	2000	20	0.5	24	2850	230x120x190	6	8032706070195
820000	MARINA NOVAX 20-24V	2000	20	0.5	24	2850	230x120x190	6	8032706070201
830000	MARINA NOVAX 25-12V	3000	25	0.6	24	2850	230x120x190	7	8032706070218
840000	MARINA NOVAX 25-24V	3000	25	0.6	24	2850	230x120x190	7	8032706070225
955000	MARINA NOVAX 30-12V	5000	30	1	24	2850	270x120x190	8	8032706072939
954000	MARINA NOVAX 30-24V	5000	30	1	24	2850	270x120x190	8	8032706072922





DRILL
BRONZO - BRONZE - BRONCE



DRILL Novax


INOSSIDABILE - INOXDABLE

**NOVAX
DRILL 14**




PAT.PEND.

**NOVAX
DRILL 20**




PAT.PEND.




PAT.PEND.

DRILL 14




PAT.PEND.

DRILL 20



PAT.PEND.

DRILL 25




PAT.PEND.


**NOVAX
DRILL 25**







Ø 9 mm



ØD



Code	Model	L/h	ØD mm	Hmax(m)	r.p.m. MAX.	A x B x H	Kg.	EAN code
290000	DRILL 14	1400	14	24	2850	70x100h120	1.5	8032706070164
330000	DRILL 20	1500	20	24	2850	70x100h120	1.5	8032706070171
340000	DRILL 25	2500	25	24	2850	80x100h120	2	8032706070188
940000	NOVAX DRILL 14	1400	14	24	2850	70x100h120	1.5	8032706070607
950000	NOVAX DRILL 20	1500	20	24	2850	70x100h120	1.5	8032706070614
560000	NOVAX DRILL 25	2500	25	24	2850	80x100h120	2	8032706070621



Code	Mode	L/ h max	RPM max.	Hmax (m)	Ø D mm	A x B x H	Kg.	EAN code
010000	N 20	1700	3000	24	20	110x100h120	2	8032706070706
050000	N 25	2500	3000	24	25	140x160h190	3	8032706070713
060000	N 30	5000	3000	20	30	160x200h240	5	8032706070720
080000	N 35	5000	3000	20	35	160x200h240	5	8032706070737
090000	N 50	15000	1500	24	50	200x250h260	8	8032706070751